














































LED价目表

名称 Name	图片 Picture	序号 Serial No.	型号 Type	灯珠 类型 Lamp Type	功率 Power (W)	电压 Voltage (V)	电流 Current (A)	LED光效 (MAX.Lm/W)	尺寸 Dimensio(mm)			单价 Unitprice (元/支) (¥/pcs)
									长 (L)	宽 (W)	高 (H)	
LED 球泡灯 (A1)		1	SL3-L. A1	SMD	3	220	0.01	130	Φ45	72	28	
		2	SL5-L. A1	SMD	5	220	0.02	130	Φ54	100	49	
		3	SL7-L. A1	SMD	7	220	0.03	130	Φ58	72	65	
		4	SL10-L. A1	SMD	10	220	0.05	130	Φ60	72	108	
		5	SL13-L. A1	SMD	13	220	0.06	130	Φ70	100	148	
		6	SL18-L. A1	SMD	18	220	0.08	130	Φ95	161	188	
		7	SL24-L. A1	SMD	24	220	0.11	130	Φ120	120	248	
		8	SL30-L. A1	SMD	30	220	0.14	130	Φ100	170	338	
		9	SL45-L. A1	SMD	45	220	0.21	130	Φ120	201	518	
		10	SL55-L. A1	SMD	55	220	0.25	130	Φ140	242	688	
		11	SL6-L. A1 (低压)	SMD	6	12~36	0.03	130	Φ74	118	168	
		12	SL9-L. A1 (低压)	SMD	9	12~36	0.04	130	Φ74	118	240	
		13	SL12-L. A1 (低压)	SMD	12	12~36	0.06	130	Φ74	118	290	
LED 通用灯 (A2)		14	SL12-L. A2. A. E (D)	COB	12	220	0.06	140	Φ73	135	456	
		15	SL17-L. A2. A. E (D)	COB	17	220	0.08	140	Φ73	129	488	
		16	SL25-L. A2. A. E (D)	COB	25	220	0.11	140	Φ73	147	537	
		17	SL30-L. A2. A. E (D)	COB	30	220	0.14	140	Φ73	167	615	
		18	SL35-L. A2. A. E (D)	COB	35	220	0.16	140	Φ135	125	718	
		19	SL45-L. A2. A. E (D)	COB	45	220	0.21	140	Φ135	135	923	
		20	SL55-L. A2. A. E (D)	COB	55	220	0.25	140	Φ135	145	1128	
		21	SL65-L. A2. A. E (D)	COB	65	220	0.30	140	Φ135	160	1332	
		22	SL75-L. A2. A. E (D)	COB	75	220	0.34	140	Φ135	165	1537	
		23	SL80-L. A2. A. E (D)	COB	80	220	0.37	140	Φ192	170	1640	
		24	SL100-L. A2. A. E (D)	COB	100	220	0.46	140	Φ192	185	2050	
		25	SL130-L. A2. A. E (D)	COB	130	220	0.60	140	Φ192	200	2665	
		26	SL160-L. A2. A. E (D)	COB	160	220	0.73	140	Φ192	220	3280	
			27	SL160-L. A2. A. D	COB	160	220	0.73	140	272	272	135
	28		SL180-L. A2. A. D	COB	180	220	0.83	140	272	272	135	3690
	29		SL200-L. A2. A. D	COB	200	220	0.92	140	272	272	145	4100
	30		SL220-L. A2. A. D	COB	220	220	1.01	140	272	272	145	4510
	31		SL260-L. A2. A. D	COB	260	220	1.19	140	272	272	160	5330
		32	SL160-L. a2. A. D	COB	160	220	0.73	140	386	386	143	3280
		33	SL200-L. a2. A. D	COB	200	220	0.92	140	386	386	158	4100
		34	SL260-L. a2. A. D	COB	260	220	1.19	140	386	386	173	5330
		35	SL320-L. a2. A. D	COB	320	220	1.47	140	386	386	193	6560
		36	SL320-L. A2. A. D	COB	320	220	1.47	140	386	386	143	6560
		37	SL400-L. A2. A. D	COB	400	220	1.84	140	386	386	158	8200
		38	SL520-L. A2. A. D	COB	520	220	2.39	140	386	386	173	10660
		39	SL650-L. A2. A. D	COB	650	220	2.98	140	386	386	193	13325
	40	SL12-L. A2. A. T	COB	12	220	0.06	140	Φ73	116	556		
	41	SL17-L. A2. A. T	COB	17	220	0.08	140	Φ73	124	591		
	42	SL25-L. A2. A. T	COB	25	220	0.11	140	Φ73	135	646		
	43	SL30-L. A2. A. T	COB	30	220	0.14	140	Φ73	148	689		
	44	SL35-L. A2. A. T	COB	35	220	0.16	140	Φ135	108	804		
	45	SL45-L. A2. A. T	COB	45	220	0.21	140	Φ135	118	987		
	46	SL55-L. A2. A. T	COB	55	220	0.25	140	Φ135	128	1192		
	47	SL60-L. A2. A. T	COB	65	220	0.30	140	Φ135	143	1397		
	48	SL75-L. A2. A. T	COB	75	220	0.34	140	Φ135	165	1643		
	49	SL80-L. A2. A. T	COB	80	220	0.37	140	Φ192	170	1774		
	50	SL100-L. A2. A. T	COB	100	220	0.46	140	Φ192	185	2119		
	51	SL130-L. A2. A. T	COB	130	220	0.60	140	Φ192	200	2734		
	52	SL160-L. A2. A. T	COB	160	220	0.73	140	Φ192	220	3583		
	53	SL160-L. A2. A. T	COB	160	220	0.73	140	272	272	135	3583	
	54	SL180-L. A2. A. T	COB	180	220	0.83	140	272	272	135	3763	
	55	SL200-L. A2. A. T	COB	200	220	0.92	140	272	272	143	4181	
	56	SL220-L. A2. A. T	COB	220	220	1.01	140	272	272	145	4599	
	57	SL260-L. A2. A. T	COB	260	220	1.19	140	272	272	160	5411	



58	SL320-L. A2. A. T	COB	320	220	1.47	140	386	386	143	7082
59	SL400-L. A2. A. T	COB	400	220	1.84	140	386	386	158	8209















LED带灯罩 (A3)		60	SL520-L. A2. A. T	COB	520	220	2.39	140	386	386	173	10669
		61	SL650-L. A2. A. T	COB	650	220	2.98	140	386	386	173	13588
		62	SL35-L. A3. A. E(D)	COB	35	220	0.16	140	Φ370		270	866
		63	SL45-L. A3. A. E(D)	COB	45	220	0.21	140	Φ370		280	1071
		64	SL55-L. A3. A. E(D)	COB	55	220	0.25	140	Φ370		290	1276
		65	SL65-L. A3. A. E(D)	COB	65	220	0.30	140	Φ370		305	1480
		66	SL75-L. A3. A. E(D)	COB	75	220	0.34	140	Φ370		320	1707
		67	SL80-L. A3. A. E(D)	COB	80	220	0.37	140	Φ370		315	1788
		68	SL100-L. A3. A. E(D)	COB	100	220	0.46	140	Φ370		330	2198
		69	SL130-L. A3. A. E(D)	COB	130	220	0.60	140	Φ370		345	2813
		70	SL160-L. A3. A. E(D)	COB	160	220	0.73	140	Φ370		365	3643
		71	SL160-L. A3. A. D	COB	160	220	0.73	140	Φ570		280	3668
	72	SL200-L. A3. A. D	COB	200	220	0.92	140	Φ570		290	4488	
	73	SL220-L. A3. A. D	COB	220	220	1.01	140	Φ570		300	4838	
	74	SL260-L. A3. A. D	COB	260	220	1.19	140	Φ570		305	5718	
	75	SL320-L. A3. A. D	COB	320	220	1.47	140	Φ570		290	6948	
	76	SL400-L. A3. A. D	COB	400	220	1.84	140	Φ570		320	8588	
	77	SL520-L. A3. A. D	COB	520	220	2.39	140	Φ570		330	11048	
	78	SL650-L. A3. A. D	COB	650	220	2.98	140	Φ570		340	13809	
	79	SL35-L. A3. A. T	COB	35	220	0.16	140	Φ370		270	952	
	80	SL45-L. A3. A. T	COB	45	220	0.21	140	Φ370		280	1135	
	81	SL55-L. A3. A. T	COB	55	220	0.25	140	Φ370		290	1340	
	82	SL65-L. A3. A. T	COB	65	220	0.30	140	Φ370		305	1545	
	83	SL75-L. A3. A. T	COB	75	220	0.34	140	Φ370		315	1782	
	84	SL80-L. A3. A. T	COB	80	220	0.37	140	Φ370		280	1922	
	85	SL100-L. A3. A. T	COB	100	220	0.46	140	Φ370		295	2267	
	86	SL130-L. A3. A. T	COB	130	220	0.60	140	Φ370		310	2882	
	87	SL160-L. A3. A. T	COB	160	220	0.73	140	Φ370		330	3970	
	88	SL160-L. A3. A. T	COB	160	220	0.73	140	Φ570		280	3970	
	89	SL200-L. A3. A. T	COB	200	220	0.92	140	Φ570		290	4569	
	90	SL220-L. A3. A. T	COB	220	220	1.01	140	Φ570		290	5063	
	91	SL260-L. A3. A. T	COB	260	220	1.19	140	Φ570		305	5799	
	92	SL320-L. A3. A. T	COB	320	220	1.47	140	Φ570		290	7552	
	93	SL400-L. A3. A. T	COB	400	220	1.84	140	Φ570		305	8679	
	94	SL520-L. A3. A. T	COB	520	220	2.39	140	Φ570		305	11139	
	95	SL650-L. A3. A. T	COB	650	220	2.98	140	Φ570		325	13972	
LED防刺眼灯 (A4)		96	SL12-L. A4. A. E(D)	COB	12	220	0.06	140	Φ74		174	456
		97	SL17-L. A4. A. E(D)	COB	17	220	0.08	140	Φ74		192	488
		98	SL24-L. A4. A. E(D)	COB	24	220	0.11	140	Φ74		212	537
		99	SL30-L. A4. A. E(D)	COB	30	220	0.14	140	Φ74		231	615
		100	SL35-L. A4. A. E(D)	COB	35	220	0.16	140	Φ135		175	718
		101	SL45-L. A4. A. E(D)	COB	45	220	0.21	140	Φ135		185	923
		102	SL55-L. A4. A. E(D)	COB	55	220	0.25	140	Φ135		195	1128
		103	SL65-L. A4. A. E(D)	COB	65	220	0.30	140	Φ135		210	1332
		104	SL75-L. A4. A. E(D)	COB	75	220	0.34	140	Φ135		215	1536
		105	SL80-L. A4. A. E(D)	COB	80	220	0.37	140	Φ192		220	1640
		106	SL100-L. A4. A. E(D)	COB	100	220	0.46	140	Φ192		235	2050
		107	SL130-L. A4. A. E(D)	COB	130	220	0.60	140	Φ192		250	2665
		108	SL160-L. A4. A. E(D)	COB	160	220	0.73	140	Φ192		270	3280
		109	SL12-L. A4. A. T	COB	12	220	0.06	140	Φ74		149	556
		110	SL17-L. A4. A. T	COB	17	220	0.08	140	Φ74		169	591
		111	SL24-L. A4. A. T	COB	24	220	0.11	140	Φ74		179	646
		112	SL30-L. A4. A. T	COB	30	220	0.14	140	Φ74		193	689
		113	SL35-L. A4. A. T	COB	35	220	0.16	140	Φ135		158	804
	114	SL45-L. A4. A. T	COB	45	220	0.21	140	Φ135		168	987	
	115	SL55-L. A4. A. T	COB	55	220	0.25	140	Φ135		178	1192	
	116	SL65-L. A4. A. T	COB	65	220	0.30	140	Φ135		193	1397	
	117	SL75-L. A4. A. T	COB	75	220	0.34	140	Φ135		200	1644	
	118	SL80-L. A4. A. T	COB	80	220	0.37	140	Φ192		185	1774	
	119	SL100-L. A4. A. T	COB	100	220	0.46	140	Φ192		200	2119	
	120	SL130-L. A4. A. T	COB	130	220	0.60	140	Φ192		215	2734	
	121	SL160-L. A4. A. T	COB	160	220	0.73	140	Φ192		235	3365	
	122	SL35-L. A5. A. E(D)	COB	35	220	0.16	140	Φ135		160	888	
	123	SL45-L. A5. A. E(D)	COB	45	220	0.21	140	Φ135		170	1093	
















L E D 平台灯 (A 5)		124	SL55-L. A5. A. E (D)	COB	55	220	0.25	140	Φ135	180	1298	
		125	SL65-L. A5. A. E (D)	COB	65	220	0.30	140	Φ135	195	1502	
		126	SL75-L. A5. A. E (D)	COB	75	220	0.34	140	Φ135	200	1733	
		127	SL80-L. A5. A. E (D)	COB	80	220	0.37	140	Φ192	205	1860	
		128	SL100-L. A5. A. E (D)	COB	100	220	0.46	140	Φ192	220	2270	
		129	SL130-L. A5. A. E (D)	COB	130	220	0.60	140	Φ192	235	2885	
		130	SL160-L. A5. A. E (D)	COB	160	220	0.73	140	Φ192	245	3550	
		131	SL35-L. A5. A. T	COB	35	220	0.16	140	Φ135	160	974	
		132	SL45-L. A5. A. T	COB	45	220	0.21	140	Φ135	170	1157	
		133	SL55-L. A5. A. T	COB	55	220	0.25	140	Φ135	180	1362	
		134	SL65-L. A5. A. T	COB	65	220	0.30	140	Φ135	195	1567	
		135	SL70-L. A5. A. T	COB	70	220	0.32	140	Φ135	200	1716	
		136	SL80-L. A5. A. T	COB	80	220	0.37	140	Φ192	205	1994	
137		SL100-L. A5. A. T	COB	100	220	0.46	140	Φ192	220	2339		
138		SL130-L. A5. A. T	COB	130	220	0.60	140	Φ192	235	2954		
139		SL160-L. A5. A. T	COB	160	220	0.73	140	Φ192	235	3636		
L E D 防振灯 (A 6)		140	SL35-L. A6. A	COB	35	220	0.16	140	Φ135	210	908	
		141	SL45-L. A6. A	COB	45	220	0.21	140	Φ135	220	1113	
		142	SL55-L. A6. A	COB	55	220	0.25	140	Φ135	230	1318	
		143	SL65-L. A6. A	COB	65	220	0.30	140	Φ135	240	1522	
		144	SL75-L. A6. A	COB	75	220	0.34	140	Φ135	240	1756	
		145	SL80-L. A6. A	COB	80	220	0.37	140	Φ192	225	1830	
		146	SL100-L. A6. A	COB	100	220	0.46	140	Φ192	240	2240	
		147	SL130-L. A6. A	COB	130	220	0.60	140	Φ192	255	2855	
		148	SL160-L. A6. A	COB	160	220	0.73	140	Φ192	260	2855	
		149	SL160-L. A6. A	COB	160	220	0.73	140	272	272	212	3480
		150	SL180-L. A6. A	COB	180	220	0.83	140	272	272	220	3915
		151	SL200-L. A6. A	COB	200	220	0.92	140	272	272	222	4300
		152	SL220-L. A6. A	COB	220	220	1.01	140	272	272	222	4730
		153	SL260-L. A6. A	COB	260	220	1.19	140	272	272	237	5530
		154	SL320-L. A6. A	COB	320	220	1.47	140	386	386	217	6760
		155	SL400-L. A6. A	COB	400	220	1.84	140	386	386	232	8400
		156	SL520-L. A6. A	COB	520	220	2.39	140	386	386	247	10860
157		SL650-L. A6. A	COB	650	220	2.98	140	386	386	267	13578	
L E D 精装灯 (A 7)		158	SL35-L. A7. A	COB	35	220	0.16	140	302	302	108	878
		159	SL45-L. A7. A	COB	45	220	0.21	140	302	302	118	1083
		160	SL55-L. A7. A	COB	55	220	0.25	140	302	302	128	1288
		161	SL65-L. A7. A	COB	65	220	0.30	140	302	302	138	1492
		162	SL75-L. A7. A	COB	75	220	0.34	140	302	302	148	1721
		163	SL80-L. A7. A	COB	80	220	0.37	140	302	302	178	1800
		164	SL100-L. A7. A	COB	100	220	0.46	140	302	302	150	2210
		165	SL130-L. A7. A	COB	130	220	0.60	140	302	302	165	2825
		166	SL160-L. A7. A	COB	160	220	0.73	140	302	302	165	2825
		167	SL160-L. A7. A	COB	160	220	0.73	140	420	420	135	3600
		168	SL180-L. A7. A	COB	180	220	0.83	140	420	420	135	4050
		169	SL200-L. A7. A	COB	200	220	0.92	140	420	420	145	4420
		170	SL220-L. A7. A	COB	220	220	1.01	140	420	420	145	4862
		171	SL260-L. A7. A	COB	260	220	1.19	140	420	420	160	5650
		172	SL320-L. A7. A	COB	320	220	1.47	140	550	550	143	6980
		173	SL400-L. A7. A	COB	400	220	1.84	140	550	550	158	8620
		174	SL520-L. A7. A	COB	520	220	2.39	140	550	550	173	11080
		175	SL650-L. A7. A	COB	650	220	2.98	140	550	550	173	13850
		176	SL640-L. A7. A	COB	640	220	2.94	140	740	740	90	14400
	177	SL800-L. A7. A	COB	800	220	3.67	140	740	740	90	17680	
	178	SL1040-L. A7. A	COB	1040	220	4.78	140	740	740	90	22600	
S M D 泛光灯 (D C 1)		179	SL35-L. C1 (D1)	SMD	35	220	0.16	130	181	202	104	896
		180	SL45-L. C1 (D1)	SMD	45	220	0.21	130	181	202	104	937
		181	SL55-L. C1 (D1)	SMD	55	220	0.25	130	221	202	104	1135
		182	SL65-L. C1 (D1)	SMD	65	220	0.30	130	281	202	104	1333
		183	SL80-L. C1 (D1)	SMD	80	220	0.37	130	181	411	104	1798
		184	SL100-L. C1 (D1)	SMD	100	220	0.46	130	221	411	104	2050
		185	SL130-L. C1 (D1)	SMD	130	220	0.60	130	281	411	104	2665
		186	SL160-L. C1 (D1)	SMD	160	220	0.73	130	334	411	104	3359
		187	SL200-L. C1 (D1)	SMD	200	220	0.92	130	414	411	104	4100

SMD 投光灯		188	SL260-L. C1 (D1)	SMD	260	220	1.19	130	534	411	104	5330
		189	SL320-L. C1 (D1)	SMD	330	220	1.52	130	414	522	104	6765
		190	SL400-L. C1 (D1)	SMD	400	220	1.84	130	534	522	104	8200
		191	SL520-L. C1 (D1)	SMD	520	220	2.39	130	640	522	104	10660
		192	SL600-L. C1 (D2)	SMD	600	220	2.75	130	800	522	104	12300
SMD 条形 模组 投光灯		193	SL800-L. C1 (D1)	SMD	800	220	3.67	130	1040	522	104	16400
		197	SL35-L. C2 (D2)	COB	35	220	0.16	140	146	202	104	799
		198	SL45-L. C2 (D2)	COB	45	220	0.21	140	181	202	104	922
		199	SL55-L. C2 (D2)	COB	55	220	0.25	140	221	202	104	1128
		200	SL65-L. C2 (D2)	COB	65	220	0.30	140	281	202	104	1333
		201	SL80-L. C2 (D2)	COB	80	220	0.37	140	181	258	104	1829
		202	SL100-L. C2 (D2)	COB	100	220	0.46	140	221	411	104	2050
		203	SL130-L. C2 (D2)	COB	130	220	0.60	140	281	411	104	2665
		204	SL160-L. C2 (D2)	COB	160	220	0.73	140	334	411	104	3364
		205	SL200-L. C2 (D2)	COB	200	220	0.92	140	414	411	104	4100
		206	SL260-L. C2 (D2)	COB	260	220	1.19	140	534	411	104	5330
		207	SL240-L. C2 (D2)	COB	240	220	1.10	140	334	522	104	4920
		208	SL300-L. C2 (D2)	COB	300	220	1.38	140	414	522	104	6150
		209	SL320-L. C2 (D2)	COB	320	220	1.47	140	414	522	104	6560
		210	SL400-L. C2 (D2)	COB	400	220	1.84	140	534	522	104	8200
		211	SL360-L. C2 (D2)	COB	360	220	1.65	140	534	522	104	7380
		212	SL480-L. C2 (D2)	COB	480	220	2.20	140	640	522	104	9840
		213	SL520-L. C2 (D2)	COB	520	220	2.39	140	640	522	104	10660
		214	SL600-L. C2 (D2)	COB	600	220	2.75	140	800	522	104	12300
		215	SL800-L. C2 (D2)	COB	800	220	3.67	140	1040	522	104	16400
SMD (D3) 条形 模组 投光灯		216	SL35-L. D3	SMD	35	220	0.16	130	130	336	104	1047
		217	SL45-L. D3	SMD	45	220	0.21	130	130	336	104	1089
		218	SL55-L. D3	SMD	55	220	0.25	130	130	336	104	1131
		219	SL65-L. D3	SMD	65	220	0.30	130	146	336	104	1333
		220	SL80-L. D3	SMD	80	220	0.37	130	232	336	104	1640
		221	SL100-L. D3	SMD	100	220	0.46	130	232	336	104	2050
		222	SL130-L. D3	SMD	130	220	0.60	130	264	336	104	2665
		223	SL160-L. D3	SMD	160	220	0.73	130	334	336	104	3280
		224	SL200-L. D3	SMD	200	220	0.92	130	436	625	104	4100
		225	SL260-L. D3	SMD	260	220	1.19	130	500	625	104	5330
LED 泛光灯 (C2) LED 投光灯 (D2)		226	SL320-L. D3	SMD	320	220	1.47	130	618	625	104	6560
		227	SL400-L. D3	SMD	400	220	1.84	130	736	625	104	8200
		228	SL12-L. C4 (D4)	COB	12	220	0.06	140	95	118	80	542
		229	SL17-L. C4 (D4)	COB	17	220	0.08	140	95	118	80	559
		230	SL25-L. C4 (D4)	COB	25	220	0.11	140	95	118	80	599
		231	SL35-L. C4 (D4)	COB	35	220	0.16	140	112	138	89	799
		232	SL45-L. C4 (D4)	COB	45	220	0.21	140	126	138	89	922
		233	SL55-L. C4 (D4)	COB	55	220	0.25	140	156	138	89	1128
		234	SL65-L. C4 (D4)	COB	65	220	0.30	140	191	138	89	1333
		235	SL70-L. C4 (D4)	COB	70	220	0.32	140	152	285	89	1435
		236	SL90-L. C4 (D4)	COB	90	220	0.41	140	166	285	89	1845
		237	SL110-L. C4 (D4)	COB	110	220	0.51	140	196	285	89	2255
		238	SL130-L. C4 (D4)	COB	130	220	0.60	140	231	285	89	2665
		239	SL140-L. C4 (D4)	COB	140	220	0.64	140	152	590	89	2870
	240	SL180-L. C4 (D4)	COB	180	220	0.83	140	166	590	89	3690	
	241	SL220-L. C4 (D4)	COB	220	220	1.01	140	196	590	89	4510	
	242	SL260-L. C4 (D4)	COB	260	220	1.19	140	231	590	89	5330	
	243	SL280-L. C4 (D4)	COB	280	220	1.29	140	238	590	89	5740	
	244	SL360-L. C4 (D4)	COB	360	220	1.65	140	296	590	89	7380	
	245	SL440-L. C4 (D4)	COB	440	220	2.02	140	366	590	89	9020	
	246	SL520-L. C4 (D4)	COB	520	220	2.39	140	446	590	89	10660	
LED 投光灯 (F1)		247	SL25-L. F1	SMD	25	220	0.11	130	359	258	110	912
		248	SL35-L. F1	SMD	35	220	0.16	130	359	258	110	967
		249	SL45-L. F1	SMD	45	220	0.21	130	359	258	110	1048
		250	SL55-L. F1	SMD	55	220	0.25	130	399	258	110	1128
		251	SL65-L. F1	SMD	65	220	0.30	130	459	258	110	1333
		252	SL80-L. F1	SMD	80	220	0.37	130	512	258	110	1889
		253	SL100-L. F1	SMD	100	220	0.46	130	592	258	110	2050


LED 路灯 ( F 2 )

	254	SL130-L. F1	SMD	130	220	0.60	130	712	258	110	2665
	255	SL160-L. F1	SMD	160	220	0.73	130	818	258	110	3498
	256	SL200-L. F1	SMD	200	220	0.92	130	978	258	110	4100
	257	SL260-L. F1	SMD	260	220	1.19	130	1218	258	110	5330
	258	SL320-L. F1	SMD	320	220	1.47	130	822	411	110	6560
	259	SL400-L. F1	SMD	400	220	1.84	130	982	411	110	8200
	260	SL520-L. F1	SMD	520	220	2.39	130	1222	411	110	10660
	261	SL30-L. F1 (不含电源)	SMD	30	220	0.14	130	359	258	110	759
	262	SL35-L. F1 (不含电源)	SMD	35	220	0.16	130	359	258	110	810
	263	SL45-L. F1 (不含电源)	SMD	45	220	0.21	130	359	258	110	856
	264	SL55-L. F1 (不含电源)	SMD	55	220	0.25	130	399	258	110	903
	265	SL65-L. F1 (不含电源)	SMD	65	220	0.30	130	459	258	110	1075
	266	SL80-L. F1 (不含电源)	SMD	80	220	0.37	130	512	258	110	1387
	267	L100-L. F1 (不含电源)	SMD	100	220	0.46	130	592	258	110	1587
	268	L130-L. F1 (不含电源)	SMD	130	220	0.60	130	712	258	110	2120
	269	L160-L. F1 (不含电源)	SMD	160	220	0.73	130	818	258	110	2668
	270	L200-L. F1 (不含电源)	SMD	200	220	0.92	130	978	258	110	3182
	271	L260-L. F1 (不含电源)	SMD	260	220	1.19	130	1218	258	110	4239
	272	L320-L. F1 (不含电源)	SMD	320	220	1.47	130	822	411	110	5336
	273	L400-L. F1 (不含电源)	SMD	400	220	1.84	130	982	411	110	6347
	274	L520-L. F1 (不含电源)	SMD	520	220	2.39	130	1222	411	110	8477
	275	SL17-L. F2	COB	17	220	0.08	140	324	258	110	806
	276	SL25-L. F2	COB	25	220	0.11	140	324	258	110	847
	277	SL35-L. F2	COB	35	220	0.16	140	324	258	110	909
	278	SL45-L. F2	COB	45	220	0.21	140	359	258	110	1010
	279	SL55-L. F2	COB	55	220	0.25	140	399	258	110	1128
	280	SL65-L. F2	COB	65	220	0.30	140	459	258	110	1333
	281	SL80-L. F2	COB	80	220	0.37	140	512	258	110	1800
	282	SL100-L. F2	COB	100	220	0.46	140	592	258	110	2050
	283	SL130-L. F2	COB	130	220	0.60	140	712	258	110	2665
	284	SL160-L. F2	COB	160	220	0.73	140	818	258	110	3280
	285	SL200-L. F2	COB	200	220	0.92	140	978	258	110	4108
	286	SL260-L. F2	COB	260	220	1.19	140	1218	258	110	5330
	287	SL320-L. F2	COB	320	220	1.47	140	822	411	110	6560
	288	SL400-L. F2	COB	400	220	1.84	140	982	411	110	8200
	289	SL520-L. F2	COB	520	220	2.39	140	1222	411	110	10660
	290	SL17-L. F2 (不含电源)	COB	17	220	0.08	140	324	258	110	660
	291	SL25-L. F2 (不含电源)	COB	25	220	0.11	140	324	258	110	694
	292	SL35-L. F2 (不含电源)	COB	35	220	0.16	140	324	258	110	752
	293	SL45-L. F2 (不含电源)	COB	45	220	0.21	140	359	258	110	818
	294	SL55-L. F2 (不含电源)	COB	55	220	0.25	140	399	258	110	903
	295	SL65-L. F2 (不含电源)	COB	65	220	0.30	140	459	258	110	1075
	296	SL80-L. F2 (不含电源)	COB	80	220	0.37	140	512	258	110	1387
	297	L100-L. F2 (不含电源)	COB	100	220	0.46	140	592	258	110	1587
	298	L130-L. F2 (不含电源)	COB	130	220	0.60	140	712	258	110	2120
	299	L160-L. F2 (不含电源)	COB	160	220	0.73	140	818	258	110	2668
	300	L200-L. F2 (不含电源)	COB	200	220	0.92	140	978	258	110	3182
	301	L260-L. F2 (不含电源)	COB	260	220	1.19	140	1218	258	110	4239
	302	L320-L. F2 (不含电源)	COB	320	220	1.47	140	822	411	110	5336
	303	L400-L. F2 (不含电源)	COB	400	220	1.84	140	982	411	110	6347
	304	L520-L. F2 (不含电源)	COB	520	220	2.39	140	1222	411	110	8477
	305	SL25-L. F3	COB	25	220	0.11	140	Φ 135	32		659
	306	SL35-L. F3	COB	35	220	0.16	140	Φ 135	32		718
	307	SL45-L. F3	COB	45	220	0.21	140	Φ 135	42		923
	308	SL55-L. F3	COB	55	220	0.25	140	Φ 135	52		1128
	309	SL65-L. F3	COB	65	220	0.30	140	Φ 135	67		1333
	310	SL75-L. F3	COB	75	220	0.34	140	Φ 135	67		1537
	311	SL70-L. F3	COB	70	220	0.32	140	2-Φ 135	32		1435
	312	SL90-L. F3	COB	90	220	0.41	140	2-Φ 135	42		1845
	313	SL110-L. F3	COB	110	220	0.51	140	2-Φ 135	52		2255
	314	SL130-L. F3	COB	130	220	0.60	140	2-Φ 135	67		3532
	315	SL80-L. F3	COB	80	220	0.37	140	Φ 192	47		1640
	316	SL100-L. F3	COB	100	220	0.46	140	Φ 192	62		2050
	317	SL130-L. F3	COB	130	220	0.60	140	Φ 192	77		2665

1 E D 万 能 路 灯 ( F 3 )		318	SL160-L. F3	COB	160	220	0.73	140	Φ192	77	3280		
		319	SL160-L. F3	COB	160	220	0.73	140	2-Φ192	47	3280		
		320	SL200-L. F3	COB	200	220	0.92	140	2-Φ192	62	4100		
		321	SL260-L. F3	COB	260	220	1.19	140	2-Φ192	77	5330		
		322	SL320-L. F3	COB	320	220	1.47	140	2-Φ192	77	6560		
		323	SL25-L. F3 (不含电源)	COB	25	220	0.11	140	Φ135	32	478		
		324	SL35-L. F3 (不含电源)	COB	35	220	0.16	140	Φ135	32	533		
		325	SL45-L. F3 (不含电源)	COB	45	220	0.21	140	Φ135	42	697		
		326	SL55-L. F3 (不含电源)	COB	55	220	0.25	140	Φ135	52	863		
		327	SL65-L. F3 (不含电源)	COB	65	220	0.30	140	Φ135	67	1029		
		328	SL75-L. F3 (不含电源)	COB	75	220	0.34	140	Φ135	67	1187		
		329	SL70-L. F3 (不含电源)	COB	70	220	0.32	140	2-Φ135	32	1057		
		330	SL90-L. F3 (不含电源)	COB	90	220	0.41	140	2-Φ135	42	1359		
		331	L110-L. F3 (不含电源)	COB	110	220	0.51	140	2-Φ135	52	1660		
		332	L130-L. F3 (不含电源)	COB	130	220	0.60	140	2-Φ135	67	1961		
		333	SL80-L. F3 (不含电源)	COB	80	220	0.37	140	Φ192	47	1208		
		334	L100-L. F3 (不含电源)	COB	100	220	0.46	140	Φ192	62	1505		
		335	L130-L. F3 (不含电源)	COB	130	220	0.60	140	Φ192	77	2023		
		336	L160-L. F3 (不含电源)	COB	160	220	0.73	140	Φ192	77	2408		
		337	L160-L. F3 (不含电源)	COB	160	220	0.73	140	2-Φ192	47	2560		
		338	L200-L. F3 (不含电源)	COB	200	220	0.92	140	2-Φ192	62	3010		
		339	L260-L. F3 (不含电源)	COB	260	220	1.19	140	2-Φ192	77	4046		
		340	L320-L. F3 (不含电源)	COB	260	220	1.19	140	2-Φ192	77	1960		
	太 阳 花 模 组 ( F 4 )		341	SL12-L. F4	COB	12	36	0.33	140	Φ73	35	507	
			342	SL17-L. F4	COB	17	36	0.47	140	Φ73	45	542	
			343	SL25-L. F4	COB	25	36	0.69	140	Φ73	60	597	
			344	SL30-L. F4	COB	25	36	0.69	140	Φ73	60	716	
			345	SL35-L. F4	COB	35	36	0.97	140	Φ135	32	718	
			346	SL45-L. F4	COB	45	36	1.25	140	Φ135	42	923	
			347	SL55-L. F4	COB	55	36	1.53	140	Φ135	52	1128	
			348	SL65-L. F4	COB	65	36	1.81	140	Φ135	67	1333	
			349	SL75-L. F4	COB	75	36	2.08	140	Φ135	69	1499	
			350	SL80-L. F4	COB	80	36	2.22	140	Φ192	47	1640	
			351	SL100-L. F4	COB	100	36	2.78	140	Φ192	62	2050	
352			SL130-L. F4	COB	130	52	2.50	140	Φ192	77	2665		
353			SL160-L. F4	COB	160	52	3.08	140	Φ192	77	3280		
		354	SL12-L. F4 (不含电源)	COB	12	36	0.33	140	Φ73	35	343		
		355	SL17-L. F4 (不含电源)	COB	17	36	0.47	140	Φ73	45	369		
		356	SL25-L. F4 (不含电源)	COB	25	36	0.69	140	Φ73	60	416		
		357	SL30-L. F4 (不含电源)	COB	30	36	0.83	140	Φ73	60	499		
		358	SL35-L. F4 (不含电源)	COB	35	36	0.97	140	Φ135	32	533		
		359	SL45-L. F4 (不含电源)	COB	45	36	1.25	140	Φ135	42	697		
		360	SL55-L. F4 (不含电源)	COB	55	36	1.53	140	Φ135	52	863		
		361	SL65-L. F4 (不含电源)	COB	65	36	1.81	140	Φ135	67	1029		
		362	SL75-L. F4 (不含电源)	COB	75	36	2.08	140	Φ135	67	1187		
		363	SL80-L. F4 (不含电源)	COB	80	36	2.22	140	Φ192	47	1208		
		364	L100-L. F4 (不含电源)	COB	100	36	2.78	140	Φ192	62	1505		
		365	L130-L. F4 (不含电源)	COB	130	52	2.50	140	Φ192	77	2023		
		366	L160-L. F4 (不含电源)	COB	160	52	3.08	140	Φ192	77	2480		
C O B 方 形 模 组 ( F 5 )			367	SL25-L. F5	COB	25	36	0.69	140	78	144	36	606
			368	SL35-L. F5	COB	35	36	0.97	140	95	144	36	660
			369	SL45-L. F5	COB	45	36	1.25	140	130	144	36	848
			370	SL55-L. F5	COB	55	36	1.53	140	170	144	36	1037
			371	SL65-L. F5	COB	65	36	1.81	140	230	144	36	1225
			372	SL25-L. F5 (不含电源)	COB	25	36	0.69	140	78	144	36	425
			373	SL35-L. F5 (不含电源)	COB	35	36	0.97	140	95	144	36	475
			374	SL45-L. F5 (不含电源)	COB	45	36	1.25	140	130	144	36	622
			375	SL55-L. F5 (不含电源)	COB	55	36	1.53	140	170	144	36	772
			376	SL65-L. F5 (不含电源)	COB	65	36	1.81	140	230	144	36	921
C O B 条 形 ( F 6 )		377	SL70-L. F6	COB	70	72	0.97	140	95	276	36	1540	
		378	SL90-L. F6	COB	90	72	1.25	140	120	276	36	1706	
		379	SL110-L. F6	COB	110	72	1.53	140	150	276	36	2074	
		380	SL130-L. F6	COB	130	72	1.81	140	185	276	36	2451	
		381	SL70-L. F6 (不含电源)	COB	70	72	0.97	140	95	276	36	1093	

模组		382	SL90-L. F6 (不含电源)	COB	90	72	1.25	140	120	276	36	1194
		383	L110-L. F6 (不含电源)	COB	110	72	1.53	140	150	276	36	1497
		384	L130-L. F6 (不含电源)	COB	130	72	1.81	140	185	276	36	1809
SMD 方形 模组 (F7)		385	SL35-L. F7	SMD	35	42	0.83	140	130	144	36	688
		386	SL45-L. F7	SMD	45	42	1.07	130	130	144	36	779
		387	SL55-L. F7	SMD	55	42	1.31	130	170	144	36	866
		388	SL65-L. F7	SMD	65	42	1.55	130	230	144	36	1019
		389	SL35-L. F7 (不含电源)	SMD	35	42	0.83	140	130	144	36	503
		390	SL45-L. F7 (不含电源)	SMD	45	42	1.07	130	130	144	36	553
		391	SL55-L. F7 (不含电源)	SMD	55	42	1.31	130	170	144	36	601
		392	SL65-L. F7 (不含电源)	SMD	65	42	1.55	130	230	144	36	715
SMD 条形 模组 (F8)		393	SL35-L. F8	SMD	35	42	0.83	130	79	276	36	721
		394	SL45-L. F8	SMD	45	42	1.07	130	79	276	36	817
		395	SL55-L. F8	SMD	55	42	1.31	130	79	276	36	896
		396	SL65-L. F8	SMD	65	42	1.55	130	95	276	36	1029
		397	SL35-L. F8 (不含电源)	SMD	35	42	0.83	130	79	276	36	536
		398	SL45-L. F8 (不含电源)	SMD	45	42	1.07	130	79	276	36	591
		399	SL55-L. F8 (不含电源)	SMD	55	42	1.31	130	79	276	36	631
		400	SL65-L. F8 (不含电源)	SMD	65	42	1.55	130	95	276	36	725
用灯 (F9)		401	SL12-L. F9 (不含电源)	COB	12	220	0.06	140	82	90	90	343
		402	SL17-L. F9 (不含电源)	COB	17	220	0.08	140	82	110	110	369
		403	SL25-L. F9 (不含电源)	COB	25	220	0.11	140	82	130	130	416
灯盘 (H1)		404	SL10-LH1	SMD	10	220	0.05	130	302	302	58.5	537
		405	SL20-LH1	SMD	20	220	0.09	130	614	302	58.5	728
		406	SL30-LH1	SMD	30	220	0.14	130	914	302	58.5	938
		407	SL38-LH1	SMD	38	220	0.17	130	1214	302	58.5	1068
		408	SL40-LH1	SMD	40	220	0.18	130	614	614	58.5	1016
		409	SL60-LH1	SMD	60	220	0.28	130	914	602	58.5	1558
		410	SL80-LH1	SMD	80	220	0.37	130	1214	602	58.5	2199
LED 日光 灯 (G1)		411	SL8-L. G1. A. G13	SMD	8	220	0.04	130	604	Φ29(玻璃)	103	
		412	SL12-L. G1. A. G13	SMD	12	220	0.06	130	908	Φ29(玻璃)	115	
		413	SL16-L. G1. A. G13	SMD	16	220	0.07	130	1213	Φ29(玻璃)	128	
		414	SL10-L. G1. A	SMD	10	220	0.05	130	600	Φ29(铝合金)	218	
		415	SL15-L. G1. A	SMD	15	220	0.07	130	900	Φ29(铝合金)	248	
		416	SL20-L. G1. A	SMD	20	220	0.09	130	1200	Φ29(铝合金)	269	
		417	SL2×10-L. G1. A	SMD	20	220	0.09	130	600	65	48	499
		418	SL2×15-L. G1. A	SMD	30	220	0.14	130	900	65	48	520
		419	SL2×20-L. G1. A	SMD	40	220	0.18	130	1200	65	48	598
		420	SL3×10-L. G1. A	SMD	30	220	0.14	130	600	100	48	686
		421	SL3×15-L. G1. A	SMD	45	220	0.21	130	900	100	48	788
422		SL3×20-L. G1. A	SMD	60	220	0.28	130	1200	100	48	898	
LED 三防 灯 (K1)		423	SL10-L. K1. A	SMD	10	220	0.05	130	590	43	44	506
		424	SL15-L. K1. A	SMD	15	220	0.07	130	890	43	44	558
		425	SL20-L. K1. A	SMD	20	220	0.09	130	1190	43	44	688
		426	SL2×10-L. K1. A	SMD	20	220	0.09	130	590	84	80	868
		427	SL2×15-L. K1. A	SMD	30	220	0.14	130	890	84	80	966
		428	SL2×20-L. K1. A	SMD	40	220	0.18	130	1190	84	80	1120
		429	SL3×10-L. K1. A	SMD	30	220	0.14	130	590	114	80	1150
LED 射灯 (L1)		430	SL3×15-L. K1. A	SMD	45	220	0.21	130	890	114	80	1280
		431	SL3×20-L. K1. A	SMD	60	220	0.28	130	1190	114	80	1610
		432	SL1-L. L1. A	SMD	1	220	0.00	130	106	43	44	168
		433	SL2-L. L1. A	SMD	2	220	0.01	130	135	43	44	198
		434	SL3-L. L1. A	SMD	3	220	0.01	130	162	43	44	228
		435	SL4-L. L1. A	SMD	4	220	0.02	130	189	43	44	258
		436	SL6-L. L1. A	SMD	6	220	0.03	130	162	84	80	318
		437	SL8-L. L1. A	SMD	8	220	0.04	130	189	84	80	378
3"筒灯		438	SL9-L. L1. A	SMD	9	220	0.04	130	162	114	80	418
		439	SL12-L. L1. A	SMD	12	220	0.06	130	189	114	80	508
		440	SL4-L. M2. A. 100/83	COB	4	220	0.02	140	Φ100	98	188	
		441	SL7-L. M2. A. 100/83	COB	7	220	0.03	140	Φ100	104	218	
		442	SL12-L. M2. A. 100/83	COB	12	220	0.06	140	Φ100	110	536	
		443	SL17-L. M2. A. 100/83	COB	17	220	0.08	140	Φ100	128	568	
		444	SL24-L. M2. A. 100/83	COB	24	220	0.11	140	Φ100	148	617	
445	SL30-L. M2. A. 100/83	COB	30	220	0.14	140	Φ100	158	770			












LED筒灯 (M2)		446	SL4-L. M2. A. 124/98	COB	4	220	0.02	140	Φ124	98	218
		447	SL7-L. M2. A. 124/98	COB	7	220	0.03	140	Φ124	104	248
		448	SL12-L. M2. A. 124/98	COB	12	220	0.06	140	Φ124	110	556
		449	SL17-L. M2. A. 124/98	COB	17	220	0.08	140	Φ124	128	568
		450	SL24-L. M2. A. 124/98	COB	24	220	0.11	140	Φ124	148	637
	451	SL30-L. M2. A. 124/98	COB	30	220	0.14	140	Φ124	158	796	
	452	SL4-L. M2. A. 145/120	COB	4	220	0.02	140	Φ145	98	248	
	453	SL7-L. M2. A. 145/120	COB	7	220	0.03	140	Φ145	104	278	
	454	SL12-L. M2. A. 145/120	COB	12	220	0.06	140	Φ145	110	576	
	455	SL17-L. M2. A. 145/120	COB	17	220	0.08	140	Φ145	128	608	
	456	SL24-L. M2. A. 145/120	COB	24	220	0.11	140	Φ145	148	657	
	457	SL30-L. M2. A. 145/120	COB	30	220	0.14	140	Φ145	158	820	
	458	SL35-L. M2. A. 170/145	COB	35	220	0.16	140	Φ170	108	838	
	459	SL45-L. M2. A. 170/145	COB	45	220	0.21	140	Φ170	118	1043	
	460	SL55-L. M2. A. 170/145	COB	55	220	0.25	140	Φ170	128	1248	
	461	SL65-L. M2. A. 170/145	COB	65	220	0.30	140	Φ170	138	1452	
	462	SL75-L. M2. A. 170/145	COB	75	220	0.34	140	Φ170	148	1675	
	463	SL35-L. M2. A. 205/180	COB	35	220	0.16	140	Φ205	108	858	
	464	SL45-L. M2. A. 205/180	COB	45	220	0.21	140	Φ205	118	1063	
	465	SL55-L. M2. A. 205/180	COB	55	220	0.25	140	Φ205	128	1268	
	466	SL65-L. M2. A. 205/180	COB	65	220	0.30	140	Φ205	138	1472	
	467	SL75-L. M2. A. 205/180	COB	75	220	0.34	140	Φ205	148	1698	
	468	SL35-L. M2. A. 230/200	COB	35	220	0.16	140	Φ230	108	878	
	469	SL45-L. M2. A. 230/200	COB	45	220	0.21	140	Φ230	118	1083	
	470	SL55-L. M2. A. 230/200	COB	55	220	0.25	140	Φ230	128	1288	
	471	SL65-L. M2. A. 230/200	COB	65	220	0.30	140	Φ230	138	1492	
	472	SL75-L. M2. A. 230/200	COB	75	220	0.34	140	Φ230	148	1721	
	473	SL80-L. M2. A. 265/235	COB	80	220	0.37	140	Φ265	135	1820	
	474	SL100-L. M2. A. 265/235	COB	100	220	0.46	140	Φ265	150	2230	
	475	SL130-L. M2. A. 265/235	COB	130	220	0.60	140	Φ265	165	2845	
	476	SL160-L. M2. A. 265/235	COB	160	220	0.73	140	Φ265	180	3501	
	477	SL4-L. M2. A. 190×190	COB	4	220	0.02	140	190×190	98	288	
	478	SL7-L. M2. A. 190×190	COB	7	220	0.03	140	190×190	104	318	
	479	SL12-L. M2. A. 190×190	COB	12	220	0.06	140	190×190	110	636	
	480	SL17-L. M2. A. 190×190	COB	17	220	0.08	140	190×190	128	668	
	481	SL24-L.	COB	24	220	0.11	140	190×190	108	717	
	482	SL30-L. M2. A. 190×190	COB	30	220	0.14	140	190×190	112	810	
	483	SL35-L. M2. A. 190×190	COB	35	220	0.16	140	190×190	108	898	
	484	SL45-L. M2. A. 190×190	COB	45	220	0.21	140	190×190	118	1103	
	485	SL55-L. M2. A. 190×190	COB	55	220	0.25	140	190×190	128	1308	
	486	SL65-L. M2. A. 190×190	COB	65	220	0.30	140	190×190	138	1512	
	487	SL80-L. M2. A. 190×190	COB	80	220	0.37	140	190×190	135	1820	
	488	SL100-L.	COB	100	220	0.46	140	190×190	150	2230	
	489	SL130-L.	COB	130	220	0.60	140	190×190	165	2845	
	490	SL160-L.	COB	160	220	0.60	140	190×190	180	3500	
491	SL8-L. M2. A. 370×190	COB	8	220	0.04	140	370×190	98	368		
492	SL14-L. M2. A. 370×190	COB	14	220	0.06	140	370×190	104	398		
493	SL24-L. M2. A. 370×190	COB	24	220	0.11	140	370×190	110	797		
494	SL35-L. M2. A. 370×190	COB	35	220	0.16	140	370×190	128	978		
495	SL50-L. M2. A. 370×190	COB	50	220	0.23	140	370×190	108	1326		
496	SL60-L. M2. A. 370×190	COB	60	220	0.28	140	370×190	113	1592		
497	SL70-L. M2. A. 370×190	COB	70	220	0.32	140	370×190	118	1858		
498	SL90-L. M2. A. 370×190	COB	90	220	0.41	140	370×190	122	2080		
499	SL110-L. M2. A. 370×190	COB	110	220	0.51	140	370×190	128	2542		
500	SL130-L. M2. A. 370×190	COB	130	220	0.60	140	370×190	138	2925		
501	SL160-L. M2. A. 370×190	COB	160	220	0.73	140	370×190	135	3540		
502	SL200-L. M2. A. 370×190	COB	200	220	0.92	140	370×190	150	4360		
503	SL260-L. M2. A. 370×190	COB	260	220	1.19	140	370×190	165	5590		
504	SL320-L. M2. A. 370×190	COB	320	220	1.47	140	370×190	180	6880		
505	SL17-L. N2 (20)	COB	17			140	386	258	132	4462	
506	SL17-L. N2 (30)	COB	17			140	410	258	132	5643	
507	SL17-L. N2 (40)	COB	17			140	431	258	132	6319	
508	SL17-L. N2 (50)	COB	17			140	473	258	132	7512	
509	SL17-L. N2 (60)	COB	17			140	515	258	132	8705	

LED筒灯 (M2)

LED斗胆灯 (M2)

L E D 太阳能路灯 ( N 2 )

	510	SL17-L. N2 ( 70 )	COB	17			140	662	258	132	9527
	511	SL25-L. N2 ( 20 )	COB	25			140	421	258	132	5975
	512	SL25-L. N2 ( 30 )	COB	25			140	463	258	132	7168
	513	SL25-L. N2 ( 40 )	COB	25			140	526	258	132	9037
	514	SL25-L. N2 ( 50 )	COB	25			140	568	258	132	10230
	515	SL25-L. N2 ( 60 )	COB	25			140	631	258	132	11942
	516	SL25-L. N2 ( 70 )	COB	25			140	820	258	132	13462
	517	SL35-L. N2 ( 20 )	COB	35			140	463	258	132	7416
	518	SL35-L. N2 ( 30 )	COB	35			140	526	258	132	9285
	519	SL35-L. N2 ( 40 )	COB	35			140	610	258	132	11828
	520	SL35-L. N2 ( 50 )	COB	35			140	673	258	132	13540
	521	SL35-L. N2 ( 60 )	COB	35			140	757	258	132	15927
	522	SL35-L. N2 ( 70 )	COB	35			140	967	258	132	17809
	523	SL45-L. N2 ( 20 )	COB	45			140	505	258	132	8983
	524	SL45-L. N2 ( 30 )	COB	45			140	589	258	132	11370
	525	SL45-L. N2 ( 40 )	COB	45			140	694	258	132	14589
	526	SL45-L. N2 ( 50 )	COB	45			140	778	258	132	16819
	527	SL45-L. N2 ( 60 )	COB	45			140	883	258	132	19881
	528	SL45-L. N2 ( 70 )	COB	45			140	705	258	132	21807
	529	SL55-L. N2 ( 20 )	COB	55			140	547	258	132	10426
	530	SL55-L. N2 ( 30 )	COB	55			140	652	258	132	13645
	531	SL55-L. N2 ( 40 )	COB	55			140	778	258	132	17225
	532	SL55-L. N2 ( 50 )	COB	55			140	883	258	132	20287
	533	SL55-L. N2 ( 60 )	COB	55			140	1009	258	132	23711
	534	S55-L. N2 ( 70 )	COB	55			140	1345	258	132	26884
	535	SL65-L. N2 ( 20 )	COB	65			140	589	258	132	12287
	536	SL65-L. N2 ( 30 )	COB	65			140	715	258	132	16024
	537	SL65-L. N2 ( 40 )	COB	65			140	862	258	132	20280
	538	SL65-L. N2 ( 50 )	COB	65			140	988	258	132	23860
	539	SL65-L. N2 ( 60 )	COB	65			140	1135	258	132	27959
	540	SL65-L. N2 ( 70 )	COB	65			140	1345	258	132	31480
	541	SL80-L. N2 ( 20 )	COB	80			140	710	258	132	14609
	542	SL80-L. N2 ( 30 )	COB	80			140	840	258	132	19645
	543	SL80-L. N2 ( 40 )	COB	80			140	1008	258	132	24641
	544	SL80-L. N2 ( 50 )	COB	80			140	1176	258	132	29479
	545	SL80-L. N2 ( 60 )	COB	80			140	893	411	132	34112
	546	SL80-L. N2 ( 70 )	COB	80			140	977	411	132	38732
	547	SL100-L. N2 ( 20 )	COB	100			140	790	258	132	17636
	548	SL100-L. N2 ( 30 )	COB	100			140	966	258	132	23961
	549	SL100-L. N2 ( 40 )	COB	100			140	809	411	132	31414
	550	SL100-L. N2 ( 50 )	COB	100			140	914	411	132	36180
	551	SL100-L. N2 ( 60 )	COB	100			140	1019	411	132	42151
	552	SL100-L. N2 ( 70 )	COB	100			140	1124	411	132	47808
	553	SL130-L. N2 ( 20 )	COB	130			140	908	258	132	22241
	554	SL130-L. N2 ( 30 )	COB	130			140	1155	258	132	30624
	555	SL130-L. N2 ( 40 )	COB	130			140	935	411	132	38719
	556	SL130-L. N2 ( 50 )	COB	130			140	1071	411	132	46212
	557	SL130-L. N2 ( 60 )	COB	130			140	1208	411	132	53887
	558	SL130-L. N2 ( 70 )	COB	130			140	1344	411	132	61456
	559	SL160-L. N2 ( 20 )	COB	160			140	1008	258	132	28090
	560	SL160-L. N2 ( 30 )	COB	160			140	893	411	132	38367
	561	SL160-L. N2 ( 40 )	COB	160			140	1061	411	132	48202
	562	SL160-L. N2 ( 50 )	COB	160			140	1229	411	132	57566
	563	SL160-L. N2 ( 60 )	COB	160			140	1397	411	132	66930
	564	SL160-L. N2 ( 70 )	COB	160			140	1565	411	132	76137
	565	SL200-L. N2 ( 20 )	COB	200			140	837	411	132	34172
	566	SL200-L. N2 ( 30 )	COB	200			140	1019	411	132	46954
	567	SL200-L. N2 ( 40 )	COB	200			140	1229	411	132	59168
	568	SL200-L. N2 ( 50 )	COB	200			140	1439	411	132	70385
	569	SL200-L. N2 ( 60 )	COB	200			140	1649	411	132	82657
	570	SL200-L. N2 ( 70 )	COB	200			140	1859	411	132	94087
	571	SL260-L. N2 ( 20 )	COB	260			140	962.5	411	132	45702
	572	SL260-L. N2 ( 30 )	COB	260			140	1208	411	132	59673
	573	SL260-L. N2 ( 40 )	COB	260			140	1481	411	132	75829

		574	SL260-L. N2 (50)	COB	260			140	1754	411	132	91457
		575	SL260-L. N2 (60)	COB	260			140	2027	411	132	106458
		576	SL260-L. N2 (70)	COB	260			140	2300	411	132	120480
LED通用防爆灯 (A2)		577	SLFB12-L01. A2	COB	12	220	0.06	140	Φ135		126	928
		578	SLFB17-L01. A2	COB	17	220	0.08	140	Φ135		134	958
		579	SLFB25-L01. A2	COB	25	220	0.11	140	Φ135		145	978
		580	SLFB35-L01. A2	COB	35	220	0.16	140	Φ135		118	1118
		581	SLFB45-L01. A2	COB	45	220	0.21	140	Φ135		128	1440
		582	SLFB55-L01. A2	COB	55	220	0.25	140	Φ135		138	1738
		583	SLFB60-L01. A2	COB	65	220	0.30	140	Φ135		153	2023
		584	SLFB75-L01. A2	COB	75	220	0.34	140	Φ135		150	2334
		585	SLFB80-L01. A2	COB	80	220	0.37	140	Φ192		145	2488
		586	SLFB100-L01. A2	COB	100	220	0.46	140	Φ192		160	3138
		587	SLFB130-L01. A2	COB	100	220	0.46	140	Φ192		175	4085
	588	SLFB160-L01. A2	COB	125	220	0.57	140	Φ192		195	5394	
		589	SLFB160-L01. A2	COB	160	220	0.73	140	368	192	153	5394
		590	SLFB200-L01. A2	COB	200	220	0.92	140	368	192	168	6744
		591	SLFB260-L01. A2	COB	260	220	1.19	140	368	192	183	8767
		592	SLFB320-L01. A2	COB	320	220	1.47	140	368	192	203	10788
	593	SLFB320-L01. A2	COB	320	220	1.47	140	368	368	153	10788	
	594	SLFB400-L01. A2	COB	400	220	1.84	140	368	368	168	13488	
	595	SLFB520-L01. A2	COB	500	220	2.30	140	368	368	183	17534	
	596	SLFB650-L01. A2	COB	650	220	2.98	140	368	368	203	21918	
泛光防爆灯 (D2) 投光防爆		597	SLFB12-L02. C2 (D2)	COB	12	220	0.06	140	181	202	120	1098
		598	SLFB25-L02. C2 (D2)	COB	25	220	0.11	140	181	202	120	1278
		599	SLFB35-L02. C2 (D2)	COB	35	220	0.16	140	181	202	120	1418
		600	SLFB45-L02. C2 (D2)	COB	45	220	0.21	140	181	202	120	1637
		601	SLFB55-L02. C2 (D2)	COB	55	220	0.25	140	221	202	120	1896
		602	SLFB65-L02. C2 (D2)	COB	65	220	0.30	140	281	202	120	2204
		603	SLFB80-L02. C2 (D2)	COB	80	220	0.37	140	181	411	120	2713
		604	SLFB100-L02. C2 (D2)	COB	100	220	0.46	140	221	411	120	3392
	605	SLFB130-L02. C2 (D2)	COB	130	220	0.60	140	281	411	120	4407	
	606	SLFB160-L02. C2 (D2)	COB	160	220	0.73	140	334	411	120	5426	
	607	SLFB200-L02. C2 (D2)	COB	200	220	0.92	140	414	411	120	6783	
	608	SLFB260-L02. C2 (D2)	COB	260	220	1.19	140	534	411	120	8814	
LED防爆路灯 (F2)		609	SLFB12-L02. F2	COB	12	220	0.06	140	324	258	135	1128
		610	SLFB25-L02. F2	COB	25	220	0.11	140	324	258	135	1378
		611	SLFB35-L02. F2	COB	35	220	0.16	140	324	258	135	1518
		612	SLFB45-L02. F2	COB	45	220	0.21	140	359	258	135	1757
		613	SLFB55-L02. F2	COB	55	220	0.25	140	399	258	135	2096
		614	SLFB65-L02. F2	COB	65	220	0.30	140	459	258	135	2404
		615	SLFB80-L02. F2	COB	80	220	0.37	140	512	258	135	2913
		616	SLFB100-L02. F2	COB	100	220	0.46	140	592	258	135	3592
		617	SLFB130-L02. F2	COB	130	220	0.60	140	712	258	135	4607
			618	SLFB160-L02. F2	COB	160	220	0.73	140	818	258	135
619	SLFB200-L02. F2		COB	200	220	0.92	140	978	258	135	6983	
		620	SLFB260-L02. F2	COB	260	220	1.19	140	1218	258	135	9014
		注: 调光产品每瓦加2.2元, 低压12V、24V、36V表价乘1.3, 路灯可调仰角加价160元, 防雷产品每个260元										